TEAM EQUIPMENT RESCUE PRODUCTS – TIME TESTED, TIME TRUSTED

TEAM

TEAM EQUIPMENT, INC.

6620 Orchid Lake Road • New Port Richey, FL 34653-1111

(727) 848-2424 Fax: (727) 845-5941 • Toll Free: (800) 367-9054

Visit our website • www.teamequipment.com e-mail: team@teamequipment.com

These Rescue Saws are manufactured by HUSQVARNA, multi-division internationally known manufacturer of products for forestry, construction and rescue. The K12 formerly sold under the PARTNER name, is now the HUSQVARNA K-12FD and remains the most technically advanced rescue saw in the world.

RESCUE SAWS
K-12 FD Fire Rescue Saw

The K-12 FD saw was designed to satisfy every demand made by the Fire Service for multi-purpose rescue saws.

Power, lightweight, perfect ergonomics in a compact package, combined with the latest technological advances, including a decompression valve that reduces starter "pull force" by 50% resulting in a saw that is safe and easy to carry, start and use by both male and female emergency service personnel.

Without a doubt the TEAM/HUSQVARNA K-12 FD Fire Rescue saw is the best all around primary rescue saw ever introduced and will be the rescue saw of choice for the emergency service for years to come.

K-12 FD

Husqvarna

World's Premier Rescue Saw

#1 For Over 45 Years

K-12 FD FIRE RESCUE SAW

- 94cc 2-cycle Air Cooled Gas Engine
- Lightweight - Only 22.7 lbs
- Fire Department Modifications
- Chrome Plated Blade Guard
- Large "D" Handle Starter Grip
- "D" Ring for Sling Attachment
- 14" Diameter Blade; 5" Cutting Depth
- Saw Carrying Sling
- Reflective Fire Department Lettering
- Excellent Ergonomics - Slimmer Design, Perfect Balance
- Most Technological Advances... Active Filtration, SmartCarb Carburetor, Decompression Relief Valve, DuraStarter Starter Unit, Enclosed Transmission, "Ready Start" Ignition Switch

Longer Service Intervals And Less Wear With Active Air Filtration Cutting dust is the enemy of all gas power cutters if it gets sucked into the engine and wears down the piston, cylinder and bearings. Active Air Filtration, a combination of three separate filter systems, is one of the many Husqvarna breakthroughs. The first Active step separates up to 90% of the cutting dust from the intake air through centrifugal force. The remaining dust gets trapped in a second filter made from foam which is saturated with oil and has a large surface area. A third filter, made of pleated paper provides additional reassurance that the intake air is free from dust.

Reduced Starter Cord Resistance Means Easier, Smoother Starts A decompression valve has been added to the Husqvarna Active saw, reducing the force required to start the saw by 50%. When starting the saw, the decompression valve is depressed to make start-up of the Actives easy. Once the engine is started, combustion pressure increases and closes the valve automatically. The decompression valve not only minimizes the amount of effort necessary to start the engine, but it also reduces the stress and wear on the starter cover, rope, and pulley.

Sealed Starter Mechanism Reduces Wear On Starter Cord And Starter Device "DuraStarter", the new starter mechanism is practically maintenance free due to a unique, patented design which encloses the return spring and pulley bearing. Several different seals prevent cutting dust from reaching the vital parts of the starter mechanism. The result is increased life and smoother starter cord return.

Maintaining Raw Power Longer Increases Efficiency And Reduces Service Requirements In order to assure optimum power output, Husqvarna developed the "SmartCarb" — a carburetor with built in filter compensation. It maintains stability even as the filter becomes clogged. There is no need to adjust the carburetor manually. Together, Active Air Filtration and SmartCarb maintain high power output longer, substantially reduce filter costs, lower fuel consumption and reduce exhaust emissions.

Dust And Water Protected Transmission Offers Longer Service Intervals With Fewer Interruptions The K-12 FD and K960 Active have an enclosed transmission which protects the drive belt in the cutter arm from dust and moisture. Having an enclosed transmission means reduced wear, longer service intervals and fewer service interruptions.

HUSQVARNA RESCUE SAWS
Circular Saws

K1250A Rescue Saw

If your personnel can handle the power (119cc gas engine) and weight (30lbs.), select HUSQVARNA'S NEW K1250A, the most powerful, fastest cutting saw built in the world. 20% more power than any other saw on the market. The best saw ever built for the use in major urban metropolitan areas when super heavy duty concrete cutting may be required.

K750A Rescue Saw

K750A – A new machine that raises the bar for high quality, lightweight rescue saws. A perfect saw for urban roof ventilation and light concrete cutting. Top performance when cutting iron bars, gates, fire doors, silos, etc. Newly designed from the ground up. Unique engine technology results in a highly powerful saw with outstanding performance characteristics and excellent ergonomics.
K750A – A World Class Saw – now available. Order Today!

NEW Now Available!

Saw Model	K-12 FD	K-1250A	K750A	K2300
Engine - Husqvarna	Air cooled 2-cycle	Air cooled 2-cycle	Air cooled 2-cycle	Electric (not shown)
Displacement	94cc	119cc	74cc	2.7 hp 15 amp
Blade Diameter	14″	14″, 16″	12″	12″, 14″
12″ weight 12″ cutting depth	n/a	n/a	20.7 lbs	22 lbs 4″
14″ weight 14″ cutting depth	22.7 lbs 5″	29.5 lbs 5″	22 lbs 5″	23 lbs 5″
16″ weight 16″ cutting depth	n/a	31.5 lbs 6″	n/a	n/a

Prices are Subject to Market Conditions.
Always Contact Team Equipment for the Best Prices.

K12FD-SUPERMEGAII Rescue Saw Kit

The very best kit we have ever assembled. Our most complete kit. Cut everything you will ever need to cut. With this mega value kit, failure is not an option.

STANDARD COMPONENTS
- Team/Husqvarna K12FD 14″ Rescue Saw
- Diamond Plate Aluminum Case *(Select Full or Space Saver Size)*
- Two Lightning Diamond Blades, Two Piraya Blades, One DYNA II Blade & Two Rescue Abrasive Wheels
- Safety Gas Can, Hearing Protector, Goggles
- Spare Drive Belt, Spare Air Filter, Air Filter Oil, 2-Cycle Oil and Gas Stabilizer
- Operating Instructions

Part Number	Case Construction	Case Size
K12FDSUPERMEGAII-F	Aluminum	Full Size
K12FDSUPERMEGAII-SSA	Aluminum	Space Saver

K-12FD MEGA Rescue Saw Kit

STANDARD COMPONENTS
- Team/Husqvarna K12FD 14″ Rescue Saw
- Diamond Plate Aluminum Case
- One Dyna II Carbide Blade & Four Rescue Abrasive Wheels
- Safety Gas Can, Hearing Protector, Goggles
- Spare Drive Belt, Spare Air Filter, Air Filter Oil, 2-cycle Oil and Gas Stabilizer
- Operating Instructions
- **Optional** *PIRAYA Diamond Blade* (Perfect with this Kit)

Part Number	Case Construction	Case Size
MEGAK12FD-F	Aluminum	Full Size
MEGAK12FD-SSA	Aluminum	Space Saver

See More About Blades On Pages 21-23

Prices are Subject to Market Conditions.
Always Contact Team Equipment for the Best Prices.

RESCUE SAWS KITS
Standard Fire Rescue Saw kits

Each Complete Kit Includes

- HUSQVARNA Saw of Choice
- Full Size Steel Carrying Case
  OR
  Choice of Space Saver Case
- One Blazer Blade
- Two Abrasive Wheels
- Safety Gas Can (one gallon)
- Hearing Protectors
- Spare Drive Belt
- Spare Air Filter
- Wrench/Screwdriver
- Air Filter Oil
- Goggles
- 2-cycle Oil & Gas Stabilizer
- Operating Instructions

Our Most Economical Rescue Saw Kits

PART NUMBER	SAW DESCRIPTION	CASE CONSTRUCTION	CASE SIZE
STDK12FD-F	K-12FD 14"	Steel	Full Size
STDK12FD-SSA	K-12FD 14"	Aluminum	Space Saver
STDK12FD-SSS	K-12FD 14"	Steel	Space Saver
STD7512-F	K750 12"	Steel	Full Size
STD7512-SSS	K750 12"	Steel	Space Saver
STD7512-SSA	K750 12"	Aluminum	Space Saver
STD7514-F	K750 14"	Steel	Full Size
STD7514-SSS	K750 14"	Steel	Space Saver
STD7514-SSA	K750 14"	Aluminum	Space Saver
STD9514-F	K960 14"	Steel	Full Size
STD9514-SSS	K960 14"	Steel	Space Saver
STD9514-SSA	K960 14"	Aluminum	Space Saver
STD12514-F	K1250 14"	Aluminum Only	Full Size
STD12514-SSS	K1250 14"	Steel	Space Saver
STD12514-SSA	K1250 14"	Aluminum	Space Saver

SC1515
Aluminum Space Saver Case

ALUMINUM SPACE SAVER CASE
This case is also constructed with the same durable features as the full size case but is smaller and lighter, containing only the saw accessories. Very popular for fire units that do not have large storage areas. Accessory items meet or exceed recommended safety standards and are stored neatly in interior partitioned areas.
L15" x W11.5" x H15.5"
Weighs 17 lbs.

HUSQVARNA K960 CHAIN SAW
Concrete Cutting Chain Saw


Diamond Segment Chain

The TEAM/HUSQVARNA K960 Chain Saw uses a diamond segment chain to cut concrete, brick and masonry.

This unique saw offers several cutting features not found on conventional circular blade rescue saws. It is an invaluable tool for use in emergencies such as earthquakes, building collapse and terrorist incidents.

With a gas engine that shares all the technical specifications and ergonomic advantages of the world famous K-12FD Rescue Saw, it's clear that the reliable TEAM/HUSQVARNA K960 Chain Saw is a perfect companion to the K-12FD.

HUSQVARNA K960 CHAIN SAW KIT
Concrete Cutting Chain Saw Kit

Complete Kit Includes

- HUSQVARNA K960 Chain Saw
- Bar & Chain Guard
- Diamond Segment Chain
- Air Filter Oil
- Diamond Plate Aluminum Case
- 2-Cycle Oil
- Brass Water Connectors
- Spare Air Filter
- Water Hose Restraint Strap
- Carrying Sling
- Wrench/Screwdriver
- Hearing Protectors
- Safety Gas Can (one gallon)
- Goggles
- Operating Instructions

HUSQVARNA K960 CHAIN SAW
Powerful – 94cc Gas Engine
Lightweight – 21 lbs.
Diamond Segment Chain – Cuts Concrete & Masonry
Cuts Deep – 14" Depth of Cut (maximum)

the power to save lives with the squeeze of a trigger

Pneumatic Impact Rescue Tools That Give You Top Gun Performance

MEET TEAM'S TOP GUNS. Powerful pneumatic impact rescue tools delivering life saving performance, dependability, superior quality and exceptional value.
TOP GUN is our line of pneumatic extra heavy duty industrial rated tools, a rating reserved for tools designed for assembly production work and built to last under extreme conditions.

The Top Gun line operates under working pressures ranging between 150 – 200 psi. Operating pressure can be increased to 300 psi for extremely difficult situations.

We sincerely believe our pneumatic rescue tools to be the best in the business, and once you compare ours with any others, we think you'll agree. For power, performance, dependability, quality, safety and value, TEAM EQUIPMENT is Top Gun. **Guaranteed.**

TOP GUN TG500HP PRO Impact Hammer

This extra heavy duty industrial rated air hammer delivers up to 2,200 power blows per minute through its ¾" piston traveling in a tool steel barrel a distrance of 4" (stroke). Operating at working pressures (150 – 200 psi), the Top Gun TG500HP PRO is more than powerful enough for auto and bus extrications that involve cutting sheet metal, door hinges, Nader pins, A posts and B posts.

And even though it's not specifically designed as a chipping hammer, the TG500HP PRO with flat chisel easily chips away at concrete, brick, block, and mortar making it an excellent choice for tight, cramped quarters often encountered at disaster sites. In fact, in its final Top Gun qualifying test, the TG500HP PRO was used extensively at a major urban search and rescue symposium, logging hours of use and abuse without a breakdown or failure of any kind.

A Posts

B Posts

TG500HP PRO Air Hammer Specifications

Blows per minute	2200
Piston Diameter	3/4"
Stroke	4"
Average Air Consumption	8CFM
Recommended Air Pressure	90-200 psi
Net Weight (air hammer)	6 lbs.
Air Inlet Size	1/4" NPT

Recommended Pressure Ranges

A&B Posts	90-100 psi
Door Hinges	120-150 psi
Nader Pins	150 psi
Sheet Metal (Auto)	90 psi
Masonry, Concrete Chipping	100-150 psi

Sheet Metal

Masonry Concrete Chipping

Nader Pins

IW425HD Impact Wrench

1/2" Square Drive 5/8" Bolt Capacity
This heavy duty industrial rated wrench is good for automobile extrication and all industrial applications. It is ideal for assembly work and it is also designed for production use. Additionally, it uses spring steel hammer housing for longer wear.

TS12S Socket Set
Sockets: Sockets are 6 point deep well, manufactured from chrome moly steel, an exceptionally tough grade of steel designed to absorb shock without cracking. This grade of steel is softer than the impact anvil so will not wear the expensive drive end of the anvil.

Sockets Supplied: • 1 ea. Standard sizes - 1/2", 9/16", 5/8", 11/16", 3/4", 13/16" • Metric sizes - 12 mm, 13mm, 14mm, 15mm, 19mm, 21mm (easily identified by red tape) • 1 ea. 6" Extension for longer reach. The sizes supplied are the most common used for auto extrication.

IW425HD Specifications

Square Drive	1/2"
Free Speed	8000 rpm
Torque Range	50-425 ft. lbs.
Hose Size	3/8"
Length	7 1/4"
Weight	6 1/4 lbs
Air Consumption	5 cfm

Prices are Subject to Market Conditions.
Always Contact Team Equipment for the Best Prices.

TOP GUN TG5000XHP PRO Pneumatic Impact Rescue Tool Kit

This kit contains the TOP GUN TG5000XHP PRO Air Hammer plus the following items:

- 1 ea. T501G – High pressure regulator with gauge guard for use with both 2216 psi and 4500 psi air cylinders
- IW425HD Impact Wrench
- Safety/Tool Retainer
- 1 ea. T16 – Air hose 16' with working pressure of 250 psi and Foster quick connect couplings at both ends
- Tool bits
- .401 shank, heat treated for strength and durability. Can be resharpened when dull.
- 2 ea. TCM11-11" Curved chisel – the most common tool used for A & B posts, door hinges, Nader pins, roof supports and heavier metals.
- 2 ea. T4-7" Popular double-edged panel cutter used for cutting through lighter metals (doors, roofs, trunks)
- 2 ea. TFM11-11" Flat chisel – used for breaking bolts and for chipping masonry and concrete materials

BEST HEAVY DUTY AIR CHISEL RESCUE KIT ON THE MARKET!

- 1 ea. T10 - Air tool oil
- 1 ea. TPC26 – Heavy Duty Case
- 1 Set of operating instructions.
- Weight of complete kit – 32 lbs.

TOP GUN TG4000HP PRO Pneumatic Impact Rescue Tool Kit

The Top Gun TG4000HP PRO features the TG400HP PRO heavy duty air hammer, a step down from our most powerful TG500HP PRO. With a smaller piston (1/2") and shorter stroke (3"), the tool delivers 2160 blows per minute developing enough power for most auto extrications involving cutting sheet metal, door hinges and A & B posts. The TG400HP PRO air hammer is industrial rated for medium to heavy duty assembly and production work. Though less powerful than the TEAM TG500HP PRO, it is an excellent quality product designed for most extrication situations. Complete kit contains the following items:

- 1 ea. TG400HP PRO – Heavy duty air hammer
- 1 ea. T501G - High pressure regulator - Same as TG5000HP PRO Kit
- Heavy duty 401 shank tool bits, heat treated for strength and durability. (Can be resharpened when dull.)
- 2 ea. TCM11-11" Curved chisel – the most common tool used for A & B posts, door hinges, Nader pins, roof supports and heavier metals.
- 1 ea. T4 - 7" Popular double-edged panel cutter for cutting through lighter metals (doors, roofs, trunks)
- Safety/Tool Retainer
- 1 ea. TFM 11-11" Flat chisel – used for breaking bolts and light chipping applications
- 1 ea. T10 - Air tool oil
- 1 ea. TPC26 – Heavy Duty Case 26" x $11^{1/2}$" x $11^{1/2}$"
- 1 Set of operating instructions.
- Weight of complete kit - 29 lbs.

Prices are Subject to Market Conditions.
Always Contact Team Equipment for the Best Prices.

TOP GUN PNEUMATICS
TEAM EQUIPMENT RESCUE PRODUCTS – TIME TESTED, TIME TRUSTED

TG400HP PRO Recommended Pressure Ranges

A&B Posts	110 psi
Door Hinges	150 psi
Sheet Metal	90 psi
Masonry, Concrete Chipping	100-110 psi

TG400HP PRO Air Hammer Specifications

Blows per minute	2160
Piston Diameter	1/2"
Stroke	3"
Average Air Consumptions	5 CM
Recommended air Pressure	90-250 psi
Net Weight	4 lbs
Air Inlet Size	1/4" NPT

THE BEST ENTRY LEVEL AIR CHISEL RESCUE KIT ON THE MARKET!

Complete Kits

Part #	Description
T3500M	Air Chisel Rescue Kit with 5000-1000 psi pressure regulator, case, 2 air hammers, assorted chisels, 16' hose, connectors

Individual Items

Part #	Description
T200	Heavy Duty Air Hammer
T501	Air Pressure Regulator 5000 - 100 psi
T16	16' (3/8" I.D. 250 PSI W.P.) Air Hose with locking safety couplings
T32	32' Air Hose - Optional
T45	Double Male Nipple
T2	Quick Change Chisel Retainer
T3	Curved Chisel
T4	Panel Cutter
T9	Flat Chisel
T10	Can Oil
T11	Male Nipple - 1/4"
T12M	Case

Specifications

Blows per minute	3000
Stroke	3 1/2"
Average Air Consumption	4 cfm
Recommended air pressure	90 psi
Net Weight – Tool only	5 lbs
Complete kit	30 lbs
Dimensions	L 23" x W 9" x H 11"
Air Inlet	1/4" NPT

T3500M Impact Rescue Tool Kit

Thousands in service since it's introduction in 1985. Two automotive quality air hammers in each kit. Use the second as back up in case of breakdown. At 90 PSI operating pressure, these air hammers do a good job for basic rescue involving cutting body metal of vehicles (doors, roofs and fenders). In extremes, pressure can be increased to cut through heavier materials

The **TEAM T3500M** kit is a completely portable "go anywhere" package that can assist rescue operations at a very affordable price. Compare this product to any entry level chisel kit on the market and you will agree it is an exceptional value.

Complete kit contains: • Two Automotive heavy duty air hammers – perfect back-up • High pressure regulator – can be used with both 2216 psi and 4500 psi air cylinders • Five assorted chisels • 16' 250 psi working pressure hose with quick connect couplings at both ends • Can of tool oil • Operating instructions • Plastic case – L-21" x W-10" x H-11". Weight of complete kit - 30 lbs.

Warranty:
One year on air hammer, pressure regulator, hose, and carrying case. Tools are standard .401 shank body shop tools and are available locally or through TEAM Equipment.

At 90 psi, a standard air cylinder will last approximately 4 minutes. Training sessions should be conducted regularly to familiarize personnel with the tools' capabilities.



A Fast Ferocious chain saw for ventilation and conventional woodcutting. Nothing stands in the way of this lightweight 71cc gas engine powerhouse. Advance features and performance result in a state-of-the-art world-class chain saw, unbeatable in its class.

- **Superb Ergonomics**
- **First Class Quality And Durability**
- **Highest Standards Of Saftey**
- **Lightning Acceleration And Maximum Raw Power**

Exceptional power to weight ratio, making it especially lightweight and easy to handle by both male and female personnel.
Simply put - A world class fire department chain saw unbeatable in its class - at an unbeatable price. Check it out!

"Terminator" Fire Department Carbide Chain. Fast Cutting, Long Lasting.

Simplest, Easiest to use Depth Adjuster Available - No Tools Required.

Complete Packaged Kits Available.

VENTILATING CHAIN SAW
TEAM EQUIPMENT RESCUE PRODUCTS – TIME TESTED, TIME TRUSTED

TEAM 2171 "SHARK"

"TURBO" Air Cleaning System - Removes 97% of dirt BEFORE it ever reaches the large air filter.
DECOMPRESSION VALVE - Drastically reduces cylinder compression for easier starting. Reduces wear and tear on starter unit.
REDESIGNED CLUTCH ASSEMBLY - Keeps clutch running cooler during long periods of operation. Rim type chain sprocket simplifies chain replacement.
D-HANDLE - starter grip for heavy gloved hand operation.
TURBO TORQUE CURVE - For the model 2171 SHARK is flat, high and smooth. This results in a quick-revving engine with great power across a wide range of revs.
CHAIN BRAKE - Inertia activated, can sense kickback and engage brake, stopping chain in a fraction of a second.
ANTI-VIBRATION SYSTEM - Spring steel, resulting in lowest vibration, operator comfort and safe handling.
TURBO TECHNOLOGY - Improves air delivery to carburetor and improved cooling cylinder.
CDA-80 CUTTING DEPTH ADJUSTER - Controls depth of cut from 1"-8" when plunge cutting and ventilating. Can be removed in seconds (without tools) for conventional woodcutting.

TECHNICAL INFORMATION

- **Engine** - Air Cooled Jonsered Two Stroke 4.3 Cu. In. Displacement (71 cc) Maintenance Free High-Energy Electronic Ignition
- **Powerhead Weight** 13 Lbs. (Weight Complete W/20" Bar And Chain Under 20 lbs.)
- **Fuel Tank** 25.6 Fl. Oz.
- **Chain Oil Tank** 13.3 Fl. Oz.
- **Saw Chain "Terminator"** Fire Department Tungsten Carbide Tipped .404 Pitch .063 Drive Link Gauge
- **Guide Bar** - Titanium Roller Nose - 16", 20" Depth Adjuster Slot Centered Allows Bar To Be Reversed For Extended Bar Life
- **Chain Speed** Up To 125 Ft. Per Second (Max. Power No Load)

The TEAM 2171 "SHARK" Chain Saw Kit

FIRE DEPARTMENT CHAIN SAW KITS

PART#	DESCRIPTION
TJS2171FD16	Complete Fire Department Chain Saw Kit w/16" Bar & Chain (incl. depth adjuster)
TJS2171FD20	Complete Fire Department Chain Saw Kit w/20" Bar & Chain (incl. depth adjuster)

FIRE DEPARTMENT CHAIN SAWS

PART#	DESCRIPTION
TJS16FD	*Chain Saw Only*, 16" Bar and Chain (incl. depth adjuster)
TJS20FD	*Chain Saw Only*, 20" Bar and Chain (incl. depth adjuster)

Complete Kit Contains the Following:

Chain saw w/selected bar and chain, diamond plated aluminum saw case (partitioned to securely hold saw and all accessory items), safety gas can, hearing protector, goggles, bar and chain oil, 2-cycle oil, gasoline stabilizer, bar and chain protector, saw carrying sling and operating instructions.
Weight of Complete Kit - 69 lbs.
Case Dimensions - L39" x W14" x H13.5"

Prices are Subject to Market Conditions.
Always Contact Team Equipment for the Best Prices.

TRC 570
Rescue Chain Package 3,000 lb. Capacity

An excellent all-around rescue chain package for general duty work. All chains and hooks are 5/16" transport grade 70 with a working load limit of 4000 lbs. For safety, we match the chains with a 1-1/2 ton chain come-a-long ensuring that the system will never be overloaded as long as all components are used together. This equipment is strong enough to do many jobs and light enough to make it easy to work with. Weight – 79 lbs.

THR 6000
Heavy Duty Rescue Chain Package 6,000 lb. Capacity

- This heavy duty rescue chain package starts where the TRC570 leaves off.
- It is designed to handle big loads up to 6,000 lbs. All chains and hooks are 3/8" transport grade 70 with a working load limit of 6,000 lbs.
- For safety and maximum efficiency we match the chains with a 3 ton heavy duty chain come-a-long ensuring that the system will never be overloaded as long as all components are used together.
- Because of the size and weight of components in this package it is not practical to store in a carrying container. All items should be stowed loose in a compartment for easier handling. Weight – 140 lbs.

IMPORTANT – Grade 70 chain should never be used for overhead lifting applications. Only grade 80 alloy chains and slings should be used for overhead lifting applications. Contact TEAM for a special alloy chain brochure.

RESCUE CHAINS

TEAM TRC570 (3,000 lb capacity) and THR6000 (6,000 lb capacity) rescue chain packages can be used separately or as companions to hydraulic and other types of rescue equipment. They are designed to save time and lives in crash rescue situations involving pulling, moving and displacing of vehicle steering columns, seats, doors and dashboards.

In industrial, transportation and farm equipment accidents, natural disasters and terrorist incidents, these valuable tools are used for pulling, dragging and moving heavy objects allowing rescuers to free trapped victims.

TEAM RESCUE CHAINS
TEAM EQUIPMENT RESCUE PRODUCTS – TIME TESTED, TIME TRUSTED

The TEAM TRC 570 Rescue Chain Package includes the following:

One TRC 10 – 1 1/2 Ton Capacity Chain Come-A-Long
This chain type Come-A-Long is a high quality, heavy duty unit with a 1 1/2 ton capacity and a 5' pull. Built tough for years of dependable service. One of the best Come-A-Longs in the industry. Weight 28 lbs.

One TRC 6 – Anchor Chain
6 feet long with a "J" Hook at one end, a "T" Hook and grab hook at the other end. The "J" hook is used to hook around the frame or axle of the vehicle. The "T" hook is used to lock into slots on the frame of new uni-body vehicles. The "J" hook can also be used on the rear of the vehicle by hooking around the axle or frame to aid in third-door, seat, and roof removal. Weight 11 lbs.

One TRC 20 – Pulling Chain
20 feet long with a slip hook at one end and a grab hook at the other end. The slip hook allows the chain to tighten around an object when tension is applied. The grab hook allows for locking onto the anchor chain or another pulling chain. Weight 24 lbs.

One TRC 5 – Loading Hook
Manufactured from the same type of steel used to make jack hammer tool bits, it is very strong with point ground to sharpness. Supplied with 5/8" x 3" ID round ring for connecting to chain. This loading hook is used for raising dashboards and will aid in other operations where hooking and pulling may be required. Weight 6 lbs.

Two TRC 15 – "Cheater" Chains
20 inches long with grab hooks at each end. Cheater chains are used for hooking onto the pulling and anchor chains, allowing for proper positioning of the Come-A-Long. Weight 3 lbs.

One TRC 25 – Carrying Container
Standard milk carton type carrier. Holds all items. Open sides for easy draining of water when hosing down equipment after use. Container dimensions L15" x W14" x H10".

The TEAM THR 6000 Rescue Chain Package includes the following:

One THR30 – 3 Ton Capacity Chain Come-A-Long
Heavy duty, high quality, 3-ton capacity with a 5' pull. Excellent heavy duty unit. Weight – 47 lbs.

One THR7 – Adjustable single chain sling
A slip hook at the end of a seven foot (7') long branch and a grab hook at the end of a one foot (1') short branch. Chains are connected to 5/8" x 3" ID round ring. Weight 17 lbs.

One THR10
Same as THR7 but with ten foot (10') long branch chain. TEAM Rescue Chain Slings are versatile components of the TEAM THR6000 and are used for various types of rigging and tie-down applications, as well as pulling, dragging, moving etc. Weight – 20 lbs.

One THR16 – Pulling Chain
16 feet long with a slip hook at one end and a grab hook at the other end.
The slip hook allows the chain to tighten around an object when tension is applied. The grab hook allows for locking on to the other chains when necessary. Weight 26 lbs.

One THR12 – "Cheater Chain"
12 inches long with grab hooks at both ends. Cheater Chain is used for shortening a pulling chain and to allow for proper positioning of a Come-A-Long. Weight 5 lbs.

One TRC5 – Loading Hook
Manufactured from the same type steel used to make jack hammer tool bits, it is very strong with point ground to sharpness. It is supplied with 5/8" x 3" ID round ring for connecting chain. The versatile hook is small enough to get into tight, cramped spaces. This tool is used for raising dashboards and will aid in other operations when hooking and pulling may be required. Weight 6 lbs.

One THR60 - "J" Type Recovery Hook
Used to hook around frames and axles of heavy trucks, farm tractors, and machinery, it can also be used on the rear of vehicles by hooking around an axle to aid in third door seat and roof removal. The hook is constructed from 1-1/8" round steel and will easily handle 6,000 lb. load. Weight 9 lbs.

Built to exacting standards, all components offer high strength to ensure a product you can rely on time after time. Chains are high quality transport grade 70, gold chromate plated. This process retards oxidation, giving a bright, longer-lasting finish to a well made product.

Whether you select the TEAM TRC570 (3,000 lb capacity), the THR6000 (6,000 lb capacity) Rescue Chain Package, or both for that matter, one thing is certain: you will purchase equipment offering high strength, top quality, and dependability you can rely on time and time again to help save lives in rescue situations involving chain operation.

**Prices are Subject to Market Conditions.
Always Contact Team Equipment for the Best Prices.**

RTK-25 TEAM Hand Tool Rescue Kit

RTK-25 is the hand tool rescue kit you have always wanted to put together but never did. That's why we've assembled it for you. So now you can POUND - CUT - PRY - SEAL - LOOSEN - TIGHTEN - DIG with an assortment of top quality industrial grade hand tools built to deliver years of dependable service.

The RTK-25 Tool Kit features "ergonomic" tools specifically designed to reduce or end work related injuries. The kit also includes a heavy duty seat belt cutter, cable cutter with insulated handles for working on line voltages up to 1,000 volts, military spec tri-fold shovel, and more. All tools come in a heavy duty carrying case and the complete kit weights 42 lbs.

RTK-25 TEAM Hand Tool Rescue Kit

Part no.	Qty	Description
T889	1	Rescue Knife
CB24	1	24" Crow Bar
IBC24	1	24" Bolt Cutter
TFS30	1	Tri-Fold Shovel
FD225	1	Fire Department Hack Saw
1018	1	Hack Saw Blades (pkg of 10)
MS1250	1	Mini Sledge
T325	1	Tin Snips
ACP10	1	10" Adj Cres/Pipe Wrench
ER8870	1	Screwdriver Slot Large
ER8150	1	Screwdriver Slot Med.
ER8640	1	Screwdriver Phillips Large
ER8620	1	Screwdriver Phillips Med.
VG10	1	10" Vise Grip
ICC25205S	1	18" Ins. Cable Cutter
P013	3	0-1" Plug
P024	3	0-2" Plug
P038	3	0-3" Plug
ADT60	1	Alum. Duct Tape
HTC26	1	Carrying Case

Prices are Subject to Market Conditions.
Always Contact Team Equipment for the Best Prices.

T889 Rescue Knife

This is quite possibly the best safety knife you will ever use. It easily cuts 10,000 lbs strength webbing and other tough materials. The safety-minded design helps prevent injury to victims. This heavy duty tool can also be used to smash glass and open Dzus quick connect fasteners. Replaceable blades. Super grip handle.

safety knife

T87 Automatic Center Punch

A Popular "Pen Type" window punch clips on to shirt or jacket pocket.

T77 Automatic Center Punch

B This is a deluxe heavy duty window punch, with automatic action. Just place on work area and push spring tension cap. Made in U.S.A. Best punch on the market.

TFS-30 Folding Shovel

Small, strong shovel perfect for confined space rescue. Locks in several operating positions. Pointed blade has serrated edges for piercing, digging and scraping. U.S. made. Weight 2.3 lbs. Length open 23.25", length folded 9.25", blade width 6.0".

T605M Mounting Brackets (Set of 2)

Manufactured from thermoplastic resin- non rusting, non corrosive. Tool held securely with detent pin attached to aircraft cable lanyard. For all bar type tools up to 1" in diameter.

RS10 Equipment Sling

The TEAM RS10 Equipment Sling allows a firefighter to sling a saw or other power tool easily over his shoulder, then ascend or descend a ladder, hill, or embankment, all while maintaining better balance and grip by being able to keep both hands on ladder rungs, side bars, etc. The sling can be used to hold, support, position and help maneuver heavy tools during use, thereby making them easier to handle. Made from 1-3/4" heavy duty nylon webbing with oversize quick release snaps and rings, the RS10 Sling attaches and detaches in seconds, even when wearing heavy gloves. Simply wrap the sling around the front and rear handles and snap into place for a sure, safe hold. The RS10 Sling is adjustable and can be used by any size firefighter. When not in use at the scene, the RS10 Sling can easily be slipped into the pocket of a bunker coat. The TEAM RS10 Equipment Sling provides an extra margin of safety for men and equipment at a very affordable price. It offers 6,500 lbs. test heavy duty nylon webbing for maximum strength and abrasion resistance. With oversize quick-connect snaps and rings, it attaches in seconds, even when wearing heavy gloves.

SAFETY TOOLS YOU CAN TRUST YOUR LIFE WITH!

Spark Resistant , Rust and Corrosion Resistant. Working in hazardous environments is dangerous enough. So don't take unnecessary chances with inferior tools that may not be safe or strong enough to get the job done. Consider the devastation a single spark can cause whenever flammable and explosive materials are handled. TEAM spark resistant safety tool kits provide excellent protection against fires and explosions in environments where hazardous materials such as flammable solvents, fuels, gasses and explosive powders are present. All tools are rust and corrosion resistant. They also resist deterioration by fresh, salt and bilge water. They are excellent for use around battery acids and other common corrosive media. These safety tools are manufactured in the USA and are approved by the Factory Mutual Research Corp., and meet OSHA requirements for spark resistant use. When life is at stake, team up with top quality, top performance safety tool kits from TEAM Equipment Inc.

Tak-31 Deluxe Multi-Purpose Safety Tool Kit

Kit consists of one of each:

Description	Size
Bar, Wrecking	23"
Chisel	7/8"x9"
Drift Pin	1/2"x6"
Hammer, Claw	1 1/4lb.
Knife, Common	3 1/8" blade
Knife, Putty	2"x4" blade
Mallet	4lbs.
Pliers, Combination	8"
Pliers, Groove Joint	2 1/8" capacity
Pliers, Side Cutting	8"
Pliers, Long Nose Side Cutting	7"
Scraper & Pry Bar	12", 2" blades
Screwdriver, Std.	3" blade
Screwdriver, Std.	6" blade
Screwdriver, Std.	8" blade
Screwdriver, Phillips	#1
Screwdriver, Phillips	#2
Screwdriver, Phillips	#3
Wrench, Adjustable End	15/16" capacity
Wrench, Adjustable End	1 15/16" capacity
Wrench, Box & Open End	3/8"
Wrench, Box & Open End	7/16"
Wrench, Box & Open End	1/2"
Wrench, Box & Open End	9/16"
Wrench, Box & Open End	5/8"
Wrench, Box & Open End	11/16"
Wrench, Box & Open End	3/4"
Wrench, Box & Open End	7/8"
Wrench, Bung	(multi-opening)
Wrench, Pipe	1 1/2" capacity
Carrying Case	26"x11 1/2"x9 1/2"
Complete Kit Weight	32 lbs

Tak-18 Standard Multi-Purpose Safety Tool Kit

Kit consists of one of each:

Description	Size
Bar, Wrecking	18"
Hammer, Claw	1 1/4lb.
Knife, Common	3 1/8" blade
Knife, Putty	2"x4" blade
Pliers, Combination	8" w/cutter
Pliers, Groove	Joint 12", 2 1/8" capacity
Pliers, Side Cutting	8"
Scaper & Pry Bar	12"x2" blade
Screwdriver, Standard	6"
Screwdriver, Phillips	#2
Wrench, Adjustable End	8" length, 15/16" capacity
Wrench, Box	5/16"x3/8"
Wrench, Box	7/16"x1/2"
Wrench, Box	9/16"x5/8"
Wrench, Box	11/16"x25/32"
Wrench, Box	3/4"x7/8"
Wrench, Pipe	14" 1 1/2" capacity
Carrying Case	L20"xW9 1/2"xH8 1/2"
Complete Kit Weight	19 lbs.

Prices are Subject to Market Conditions.
Always Contact Team Equipment for the Best Prices.

TEAM HAZMAT SAFETY TOOLS
TEAM EQUIPMENT RESCUE PRODUCTS – TIME TESTED, TIME TRUSTED

TAK-1 Starter Safety Tool Kit

A basic safety tool kit for safe, simple work around leaky household gas appliances, pipes, etc. It can get you started towards building a more complete kit as you go along.

Description	Size
Wrench, Adjustable Opener	8" length, 1 1/8" capacity 9"
Pliers, Combination	6 1/2"
Pliers, Groove Joint	9 1/2", 1 1/2" capacity
Screwdriver, Standard	3" blade
Screwdriver, Phillips	#2
Wrench, Adjustable Vinyl Case	8" length, capacity 15/16"

Individual Tools

All tools appearing on this page are standard stock items. Choose from 60 items and design a kit that's just right for you. Or, if you have selected one of the TEAM kits, you may wish to include additional items. Pay particular attention to specialized tools such as the barrel hook and chain pipe wrench. (See accompanying price list.)

Team TM-51 Hazmat Response Kit

The TM-51 HAZMAT RESPONSE TOOL KIT consists of 17 spark resistant , non-magnetic, corrosion-resistant hand tools in a non-metallic container. The container, a 5 gallon polyurethane bucket, features a screw-on lid which can isolate contaminates until the bucket and tools can be properly cleaned. A removable divider keeps tools upright for easy handling.

Kit consists of one of each:

- Shoe Handle Brush
- Hammer and Claw Crate Opener, 9" Long
- Claw Hammer, 1 lb., 14" long
- Common Knife, 5 3/4" blade
- Putty Knife, 1 1/4" x 3 9/16" blade, 7 3/4" overall length
- Groove Joint Pliers (forged), 12" long, 2 1/8" capacity
- Long Nose Side Cutting Pliers (forged), 7" long
- Combination Pliers (forged), 8" long
- Deck Scraper, 15" long w/handle w/ 1 1/2" blade
- Spray Booth Scraper, 9 1/4" long, 3" blade
- Std. Screwdriver, 6" blade, 5 1/16" tip width
- Phillips Screwdriver, 6" blade, #3
- Tin Shears, 12" long, 3" jaw
- Adjustable End Wrench, 8" long, 1 1/8" capacity
- Adjustable End Wrench, 12" long, 1 1/2" capacity
- Adjustable Pipe Wrench, 14" long, 1 1/2" capacity
- Bung Wrench, 12" long

PW-60 Leak Sealing Plug & Wedge Kit

The Most Popular Wood Plug & Wedge Kit in the U.S.A.

With a TEAM PW-60 Leak Sealing Plug and Wedge Kit, gashes and punctures in tanks, cylinders, gas lines, etc. can be easily plugged to stop or control liquid, gas, and bulk material leaks. Plug holes up to 5" in diameter. Now you can have the right size plugs and wedges whenever you need them – and plenty of them! Here's a 60 item leak sealing kit made up of various size tapered wooden plugs and wedges that are excellent for use in controlling many hazardous material leaks. Manufactured from soft woods, these plugs and wedges will swell when saturated with liquid as well as slightly conform to the shape of the area to be sealed, resulting in a tighter seal. A hardwood mallet is included. All items conveniently store in a heavy duty draw string sack, silk screened with "Leak Sealing Plugs & Wedges" in white letters.

Complete kit consists of:

Description	
15 - 0 - 1" dia. x 3" long Tapered Plug	5 - 1" - 3" width x 12" long Wedge
10 - 0 - 2" dia. x 4" long Tapered Plug	5 - 2" - 3" width x 12" long Wedge
10 - 0 - 3" dia. x 8" long Tapered Plug	5 - 3" - 3" width x 12" long Wedge
3 - 1" - 5" dia. x 10" long Tapered Plug	1 - Wooden Mallet
5 - 1/4" x 3/4" Threaded Plug	1 - Storage Sack



Diamond Blade
TORNADO
If it's metal or concrete you can cut it with the TORNADO. The perfect Diamond Blade for small to medium size municipalities. Budget constraints?
– Not with the TORNADO! Our best selling blade is also our best priced blade!
The TORNADO cuts:
- Medium Gauge Steel
- Iron Pipe
- Light Gauge Steel
- Concrete
- Burglar Bars
- Pad Locks
- Auto Bodies
- Steel Doors

TD12SC – 12" BLADE
TD14SC – 14" BLADE

Super Diamond
The **LIGHTNING** Diamond Blade is a step up from the TORNADO. It cuts everything the TORNADO cuts but cuts it faster and the blade lasts longer – Heavier plate for added stability, larger diamond segments for longer life make the LIGHTNING a super blade and a super value.

TLDB12 – 12" BLADE
TLDB14 – 14" BLADE
TLDB16 – 16" BLADE

Best Diamond Blade
The **FEMA** is our very best Diamond Blade for cutting a multitude of concrete products at collapsed buildings and disaster sites. Perfect for major cities, FEMA and US&R rescue teams. Excellent blade life. Fast cutting over a wide spectrum of materials.
The FEMA cuts:
- Hard, medium & soft brick
- Pre-cast concrete
- Block and pea gravel block
- Exterior concrete
- Limestone concrete
- Asphalt

TD12MP – 12" BLADE
TD14MP – 14" BLADE
TD16MP – 16" BLADE

Metal/Concrete cutting diamond blades are fast becoming Rescue Saw Blades of Choice, replacing abrasive blades for Fire & Rescue emergencies.

Diamond blades do not wear down, offering a constant depth of cut, without time consuming changing of blade. They outlast many abrasive blades over the lifetime of the blade, generate considerably less sparks when cutting metal and are not subject to breakage, damage or deterioration from heat or humidity. Diamond blades are much more practical and economical over the long haul.

When you add it all up, there just isn't a better, more efficient and economical choice than TEAM Diamond Blades.

For all your less demanding cutting needs, or those strictly limited by budget, TEAM's Carbide Blades and Abrasive Blades are hard to beat.

CUTS EVERYTHING
DIAMOND BLADE
FOR ALL RESCUE SAWS

PART NUMBER	DESCRIPTION
PIRA-12FD	12" Piraya Blade
PIRA-14FD	14" Piraya Blade

Remove Bushing for 1" Arbor

*For years the fire service has requested a "one blade cuts all materials" for rescue saws. The **PIRAYA** Multi-Purpose Diamond Blade from TEAM is the answer.*

MULTI-PURPOSE DIAMOND BLADE FOR ALL MATERIALS:
Concrete, Masonry, Metal, Plastic, Wood, Rebar, Copper, Glass Block, Windshields, Auto Parts, Tile, Aluminum, Stainless Steel, Corrugated Roofs and Everything Else

PIRAYA Eats Competition For Breakfast!

Maximum Speed
12" - 6300 RPM
14" - 5400 RPM

RESCUE BLADES
Carbide Tipped Blades



DYNA Blade II
DYNA-12/14/16A

Outlasts Up To 20 Standard Carbide Tipped Blades

Our "White Edge" segmented "carbide chip" blade represents leading edge technology in carbide blade development. In addition to cutting a much wider range of materials, life expectancy of the Dyna-Blade is reported to be up to ***20 times longer*** than that of standard carbide tipped blades.

Cuts The Following Material:
- Insulation Materials
- Drywall
- Woods
- Corrugated Roofing
- Tires
- Timber
- Metal Studs
- Roofing Materials
- Aluminum
- Rail Ties
- Auto Body Parts
- Plastic

Important: The Dyna-blade II will cut a multitude of materials. However, it is NOT designed to cut through CONCRETE or STEEL. Continue to use abrasive wheels and diamond blades to cut these materials.

The new Dyna-Blade II, with a streamlined plate, makes it possible to use on less powerful saws, such as Husqvarna's K750. It will work great on Husqvarna - Homelite - Echo. On the more powerful saws, like K12FD and the K960, the Dyna-Blade II will perform even better.
*Blades have standard 1" arbor. Heavy steel reducing brushing to 7/8" and 20mm included.



BLAZER Blade
700216FD/700118FD

Specially designed by TEAM for Fire-Rescue work. Ideal tooth number (16 for 12" blades, 18 for 14" blades) reduces blade "chatter". Larger/stronger carbide tips absorb shock with less breakage. Increased plate thickness for smoother more stable cutting. "Blazer" is an excellent carbide blade for any Rescue Saw.

Cuts The Following Materials:
- Tar & Gravel Roofs
- Rail Tiles
- Light Sheet Metal
- Shingle Roofs
- Corrugated Roofing
- Light Metal Studding
- Plastic
- Wood

*Note: Certain saw manufacturers do not allow use of carbide blades under any circumstances. Check manufacturers' position regarding use of carbide blades prior to purchase.

TEAM RESCUE BLADES
TEAM EQUIPMENT RESCUE PRODUCTS – TIME TESTED, TIME TRUSTED

RESCUE BLADES
Abrasive Blades

TEAM's premium quality abrasive blades for high-speed saws are formulated with an emphasis on "Break Resistance" by means of high quality fiberglass reinforcement. All blades meet or exceed saw manufacturers specifications for safety.

STEEL CUTTING Abrasive Blade

This blade cuts most types of steel products with best life cutting speed.

Part #	Description
375156	12" x 1" Steel Blade
375200	14" x 1" Steel Blade
375240	16" x 1" Steel Blade



CONCRETE CUTTING Abrasive Blade

This blade cuts most concrete and masonry materials with best life and cutting speed.

Part #	Description
375157	12" x 1" Concrete Blade
375201	14" x 1" Concrete Blade
375241	16" x 1" Concrete Blade

STEEL/CONCRETE CUTTING-RESCUE Abrasive Blade

This is our #1 Abrasive Blade for Rescue. Cuts concrete, steel or a combination of both materials. With this blade on the saw and in inventory there is no need to switch steel or concrete abrasives at the scene. One blade cuts both with very satisfactory results.

Part #	Description
T1210	12" x 1" Steel/Concrete Blade
T1410	14" x 1" Steel/Concrete Blade
T1610	16" x 1" Steel/Concrete Blade

TEAM EQUIPMENT, INC.
6620 Orchid Lake Road
New Port Richey, FL 34653-1111
(727) 848-2424 Fax: (727) 845-5941
Toll Free: (800) 367-9054
Visit our website • www.teamequipment.com
e-mail: team@teamequipment.com

Prices are Subject to Market Conditions.
Always Contact Team Equipment for the Best Prices.

TEAM EQUIPMENT RESCUE PRODUCTS – TIME TESTED, TIME TRUSTED

TEAM EQUIPMENT, INC.
6620 Orchid Lake Road
New Port Richey, FL 34653-1111

PRESORTED STANDARD
U. S. POSTAGE
PAID
PERMIT # 1469
ST. PETERSBURG, FL

RESCUE TOOLS WHEN FAILURE IS NOT AN OPTION

PART NO. 15K808